

AQA Biology

# $\textbf{GCSE} \rightarrow \textbf{A} \text{ Level Biology transition}$

### Answers to maths skills practice questions

#### **1 Numbers and units**

**1 a** 1 kJ = 1000 J, so 4 500 000 J = 4 500 000/1000 kJ = 4500 kJ 4.5 MJ **b** 1 MJ = 1000 kJ, so 4500 kJ =

2 1 m = 109 nm (there are a billion nanometre in a metre)

9.0 × 10-8 m = 9.0 × 10-8 × 109 nm = 9.0 × 10-8 + 9 nm = 9.0 × 10 nm = 90 nm

1.20 x 10-7 m = 1.20 x 10-7 x 109 nm = 1.20 x 10-7 + 9 nm = 1.20 x 100 nm = 120 nm

Range = 90 nm to 120 nm

3	<b>a</b> 1011	<b>b</b> 10 <sub>12</sub>
	<b>c</b> 1000 + 1000 = 200	<b>d</b> 100 - 0.01 = 99.99
4	<b>a</b> 10₁ or 10	<b>b</b> 10-3 or 0.001
	<b>c</b> 106 or 1 000 00	<b>d</b> 100 <sub>2</sub> ÷ 100 = 100 or 10 <sub>2</sub>
5	<b>a</b> 4 mm	<b>b</b> 130 s
	<b>c</b> 31 300 µl	<b>d</b> 0.000 104 mg
6	<b>a</b> 57 µm	<b>b</b> 8.6 L or 8.6 dm₃
	<b>c</b> 68 s	<b>d</b> 0.09 mm

#### 2 Decimals, standard form, and significant figures

1	0.0	)214 cm	12 0.0218	cm <sub>2</sub>	0.03	cm2	0.034	cm <sub>2</sub>
2	12	.03 cm	12.901 cn	n 2	2 cm	22.0	03 cm	22.25 cm
3	а	3.06×	:10₃ kJ	b	1.4×1	05 kg		
	С	1.8×1	0-4 m	d	4×10-	-6 <b>m</b>		
4	<b>a</b> 1×10 <sub>2</sub>			<b>b</b> 1×104				
	<b>c</b> 1×10-2		<b>d</b> 2.	1×107				
5	Give the following as			s deci	imals.			
	<b>a</b> 1 000 000 <b>b</b> 4 700 000 000							
	<b>c</b> 1 200 000 000 000 <b>d</b> 0.000 796							
6	<b>a</b> 7600 g / 7640 g		<b>b</b> 28 m / 27.5 m					
	<b>c</b> 4	l.3g/4	.33 g	<b>d</b> $6.0 \times 10_2 \text{m} / 5.00 \times 10_2 \text{m}$				
7		1.2 ×	104 g					

### 3 Working with formulae

1 *M*? l = 6.6 mm  $O = 165 \mu$ m Change to same units: either both mm or both  $\mu$ m or both m: 165  $\mu$ m = 0.165 mm  $M = l/O = 6.6/0.165 = \times 40$ 

## Oxford A Level Sciences

### AQA Biology

5 mm

- 2 Area =  $0.5 \times 2 \text{ cm} \times 9 \text{ cm} = 9 \text{ cm}_2$
- 3 Area =  $\pi$  r<sub>2</sub> =  $\pi$  × (0.7 µm)<sub>2</sub> =  $\pi$  × (0.7 × 10-6 m) × (0.7 × 10-6 m) = 1.5 µm<sub>2</sub>
- **4** N<sub>0</sub> = 24

6

7

7 days =  $7 \times 24$  hours = 168 hours

so n = 168 ÷ 20 = 8.4

Nt = 24 x 28.4 = 8107 cells

5 N = 96 + 4 + 22 + 3 = 125 animals found

so 
$$D = 1 - \sum_{n=1}^{\infty} \left(\frac{n}{N}\right)^{2}$$
  
inner brackets:  $D = 1 - \left(\left(\frac{96}{125}\right)^{2} + \left(\frac{4}{125}\right)^{2} + \left(\frac{22}{125}\right)^{2} + \left(\frac{3}{125}\right)^{2}\right)^{2}\right)$   
indices:  $D = 1 - \left(0.768^{2} + 0.032^{2} + 0.176^{2} + 0.024^{2}\right)$   
addition:  $D = 1 - 0.6224 = 0.3776 = 0.38 (2.d.p)$   
 $O = 0.1 \text{ mm}$   $I = ?$   $M = 50$   $I = M \times O = 50 \times 0.1 \text{ mm} =$   
Area = 5.3 cm<sub>2</sub> radius?  $A = \pi r_{2}$   
 $5.3 = \pi r_{2}$   $r_{2} = \frac{5.3}{1.687} = 1.687$   $r_{2} = \sqrt{1.687} = 1.3 \text{ cm}$ 

Or 
$$A = \pi r_2$$
  $r_2 = \frac{A}{\pi}$   $r = \sqrt{\frac{A}{\pi}}$   $r = \sqrt{\frac{5.3}{\pi}} = 1.3 \text{ cm}$ 

8 7.25 × 10<sub>-6</sub> m (7.25 μm)

**9** 
$$a = \frac{\left(\frac{34}{100}\right) \times 135}{2} = 22.95$$

10 cardiac output = stroke volume x heart rate

stroke volume = 
$$\frac{2.7}{77}$$
 = 0.035 dms

11 Substitute in the known values:  $0.84 = \frac{\text{biomass transfer}}{25} \times 100$ 

Rearrange the equation to give: biomass transfer =  $\frac{0.84}{100} \times 25 = 0.21$  kg

### **4 Magnification**

- **1 a** ×120 **b** ×600
- **2** ×26 000
- **3** 0.88 μm



### AQA Biology

#### **5** Percentages and uncertainty

**1 a**  $\frac{2240}{3600000}$  × 100 = 0.06%

**b**  $\frac{480}{3600000}$  × 100 = 0.013%

2 5.88%
 3


Sucrose conc. / mol dm-3	Initial mass / g	Final mass / g	Mass change / g	Percentage change in mass
0.9	1.79	1.06	-0.73	-40.8%
0.7	1.86	1.30	-0.56	-30.1%
0.5	1.95	1.70	-0.25	-12.8%
0.3	1.63	1.76	+0.13	+8.0%
0.1	1.82	2.55	+0.73	+40.1%
<b>a</b> 1 cm₃	<b>b</b> 0.005 s	<b>c</b> 0.05 °C		

4 5

1

Measurement made	Equipment used	Absolute error	Relative error
Length of a fluid column in a respirometer is 6 mm	mm scale	0.5 mm	$\frac{0.5}{6} \times 100 = 8.3\%$
Volume of a syringe is 12 cm <sub>3</sub> of liquid	0.5 cm3 divisions	0.25 cm₃	$\frac{0.25}{12} \times 100 = 2.1\%$
Change in mass of 1.6 g	balance with 2 d.p.	0.005 g	$\frac{0.005 \times 2}{1.6} \times 100 = 0.6\%$

### 6 Scatter graphs and lines of best fit



 $\ensuremath{\mathbb{C}}$  Oxford University Press 2019  $\hfill$  This resource sheet may have been changed from the original.



## AQA Biology

c Table 1: Strong correlation. Positive at the start. As light intensity increases, the increase in the rate of photosynthesis decreases (so the graph levels off).
 Table 2: Strong correlation. Negative at the start. As time increases, the rate of the decrease of the concentration decreases (so the graph levels off).